

REGISTERED POST

ORCEM/DVP/ENV/ 535

Date: 01/03/2023

Environmental Engineer  
Telangana State Pollution Control Board,  
Regional Office, H.No. 6-2-116/A,  
1st Floor, Subhash Nagar,  
Nizamabad -503002  
Telangana

Sub: Submission of Bio-medical Waste Annual Returns in Form-IV for our OHC (Dispensary)  
located at Devapur (V), Kasipet(M), Mancherial (D) – reg

Ref: BMW Authorisation No: 436/TSPCB/RO/NZB/BMWM/2022-707, Date: 24.11.2022.

Dear Sir,

With reference to the above cited subject, we are herewith submitting the Bio-Medical waste annual returns in Form IV for the period 1<sup>st</sup> January 2022 to 31<sup>st</sup> December 2022 of our Occupational Health Centre (Dispensary) under Bio-Medical waste management Rules, 2016.

This is for your kind information please.

Thanking You

Yours faithfully

For Orient Cement Limited : Devapur

  
MP Joshi  
Sr. Vice President (Works) & Unit Head



Orient Cement Limited

Devapur Plant: PO Devapur Cement Works, Adilabad (District), Telangana 504218, India.

+91 8736 240709 Fax: +91 8736 240522

Registered Office: Unit VIII, Plot No.7, Bhoinagar, Bhubaneswar, Odisha 751012, India [www.orientcement.com](http://www.orientcement.com)

CIN No : L26940OR2011PLC013933

Form - IV  
(See rule 13)

**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.No	PARTICULARS	
1	<b>Particulars of the Occupier</b>	
	<b>i) Name of the authorised person (occupier or operator of facility)</b>	Sri. MP Joshi Sr. Vice President & Unit Head  Dr. Rajesh Gujjanti Chief Medical Officer
	<b>ii) Name of HCF</b>	Orient Cement Dispensary [OHC]
	<b>iii) Address for Correspondence</b>	Sri. MP Joshi Sr. Vice President & Unit Head Devapur Village, Kasipet Mandal, Mancherial District, Pin-504218
	<b>iv) Address of Facility</b>	Orient Cement Dispensary Devapur Village, Kasipet Mandal, Mancherial District, Pin-504218
	<b>v) Tel. No, Fax. No.</b>	Tel : 08736-240664 Fax : 08736-240522
	<b>vi) E-mail ID</b>	<a href="mailto:mahendrapratap.joshi@orientcement.com">mahendrapratap.joshi@orientcement.com</a>
	<b>vii) URL of Website</b>	<a href="http://www.orientcement.com">www.orientcement.com</a>
	<b>viii) GPS Co-ordinates of HCF or CBMWTF</b>	19° 02' 02.37" - N 79° 21' 19.19" - E
	<b>ix) Ownership of HCF or CBMWTF</b>	Orient Cement Limited, Devapur Cement Works
	<b>x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules</b>	Authorization No: Order No.: 436/PCB/RO/NZB/BMWM/2022-707 Date: 24.11.2022.  Valid up to 31 <sup>st</sup> December 2027
<b>xi) Status of Consents under Water Act and Air Act</b>	Not Applicable	
2	<b>Type of Health Care Facility</b>	
	<b>i) Bedded Hospital</b>	No. of Beds: 5 Only detention during daytime
	<b>ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)</b>	Not Applicable
	<b>iii) License number and its date of expiry</b>	Not Applicable
3.	<b>Details of CBMWTF</b>	
	<b>i) Number of healthcare facilities covered by CBMWTF</b>	Not Applicable
	<b>ii) No. of beds covered by CBMWTF</b>	Not Applicable
	<b>iii) Installed treatment and disposal capacity of CBMWTF:</b>	Not Applicable
	<b>iv) Quantity of biomedical waste treated or disposed by CBMWTF:</b>	Not Applicable

4	Quantity of waste generated or disposed in kg per annum (on monthly average basis)	Yellow Category: 9.476 Kg/annum			
		Red Category : 7.560 Kg/annum			
		Blue Category: 6.599 Kg/annum			
		White (Translucent): 2.829 Kg/annum			
5	<b>Details of Storage, treatment, transportation, processing and Disposal Facility</b>				
	i) Details of the onsite storage facility	Size : Not Applicable			
		Capacity : Not Applicable			
		Provision of on-site storage : (cold storage or any other provision) : Not Applicable			
	ii) Brief details of the onsite treatment facilities	Type of Treatment Equipment	No. of Units	Capacity [Kg/day]	Quantity treated/ disposed [Kg/annum]
		Incinerators	0		
		Plasma Pyrolysis	0		
		Autoclaves	01 – For Sterilization of Hospital equipment		
		Microwave	0		
		Hydroclave	0		
		Shredder	0		
		Needle tip cutter or destroyer	01	--	2.829
		Sharps encapsulation or concrete pit	0	--	
		Deep burial pits	0		
Chemical disinfection		0	--		
Any other treatment equipment	0				
iii) Quantity of recyclable wastes sold to authorised recyclers after treatment in kg/annum	Not Applicable				
iv) No. of vehicles used for collection and transportation of biomedical waste	One authorised vehicle deputed by M/s Venkataramana Incinerators, Sy. No. 179, Edulagattepalli (V), Manakondur (M), Karimnagar District, Telangana				
v) Details of incineration as and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where Disposed		
	Incineration Ash	Not Applicable	Not Applicable		
	ETP Sludge	Not Applicable	Not Applicable		
vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	M/s. Venkataramana Incinerators Sy. No. 179, Edulagattepalli (V), Manakondur (M), Karimnagar District.				
vii) List of member HCF not handed over bio-medical waste	Not Applicable				
6	Do you have Bio-Medical waste management committee? If yes, attach minutes of meetings held during the reporting period	Not Applicable			
7	<b>Details of trainings conducted on BMW</b>				
	i) Number of training conducted on BMW Management	Internal – 04; Date: 04-04-2022, 06-06-2022, 05-08-2022, 05-11-2022			
	ii) Number of personnel trained	All Medical Staff			
	iii) Number of personnel trained at the	All new joiners were trained during induction.			

	time of induction	
	iv) Number of personnel not undergone any training so far	Nil
	v) Whether standard manual for training is available?	Yes
	vi) Any other information	--
	Details of accident occurred during the year	
8	i) Number of Accidents occurred	Nil
	ii) Number of persons affected	Nil
	iii) Remedial Action taken (Please attach details if any)	Nil
	iv) Any Fatality occurred, details.	Nil
9	Are you meeting the standards of air pollution from the incinerator? How many times in the last year could not meet the standards?	Not Applicable
	Details of continuous online emission monitoring systems installed	Not Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable
11	Is the disinfection method or sterilisation meeting the log 4 standards? How many times you have not met in a year?	Not Applicable
12	Any other relevant information	--

Certified that above report is for the period from 01.01.2022 to 31.12.2022.

Date: 01.03.2023

Place: Devapur

Name and Signature of the Head of the Institution

