

ORCEM/DVP/ENV/388
22nd November 2023

To,
Inspector General of Forests
Integrated Regional Office (IRO) - Hyderabad,
Ministry of Environment, Forests and Climate Change,
3rd Floor, Room No. 309, Aranya Bhawan, Opp. RBI,
Saifabad – 500004, Hyderabad, Telangana.
lro.hyderabad-mefcc@gov.in

Sub: Submission of Six-Monthly Compliance Report for Environmental Clearance of proposed expansion of Cement Plant with increasing capacity of production of Clinker 3.5 to 6.5 MTPA, Cement 3.07 to 7.6 MTPA and Power 50 to 75 MW (Addition of 25 MW through WHRB) by M/s Orient Cement Limited at Devapur (V), Mancherial (Dist.,) Telangana state for the period of April 2023 to September 2023 - Reg.

Ref: Environment Clearance F. No. J-11011/266/2007-IA.II(I) Dated 06th May, 2021.

Dear Sir,

Reference with the Environmental Clearance cited above, we are herewith attached six monthly compliance report for the period of April 2023 to September 2023 which was uploaded in PARIVESH 2.0 for our proposed expansion of Cement Plant with increasing capacity of production of Clinker 3.5 to 6.5 MTPA, Cement 3.07 to 7.6 MTPA and Power 50 to 75 MW (Addition of 25 MW through WHRB) at Devapur (V), Mancherial (Dist.,) Telangana State.

This is for your information & records please.

Thanking you,

Yours faithfully
For Orient Cement Limited



MP Joshi
Sr. Vice President (Works) & Unit Head

Encl: A/a

Copy:

1. The Regional Director, Central Pollution Control Board, Regional Directorate (South), Nisarga Bhawan, 1st Floor, 7th D Cross, Thimmaiah Road, Shivanagar, Bengaluru - 560079, Karnataka.
2. Environmental Engineer, Telangana State Pollution Control Board, Regional Office, H. No. 6-2-166/A, 1st Floor, Subhash Nagar, Nizamabad – 503002, Telangana.

Half Yearly Compliance Report(Preview)

Proposal Details

Proposal No

IA/TG/IND/200627/2007 dated 01/03/2021

Category

Industrial Projects - 1

Proposal Name

Expansion of Cement Plant with Increase of Production of Clinker 3.50 MTPA to 6.50 MTPA, Cement: 3.07 MTPA to 7.60 MTPA, Power: 50 MW to 75 MW (Addition of 25 MW through WHRB) by M/s Orient Cement Limited (OCL) located at Devapur Village, Kasipet Mandal, Mancherial District, Telangana.

Plot / Survey/ Khasra No.**Village(s)****Sub-District(s)****State**

TELANGANA

District

MANCHERIAL

MoEF File No

J-11011/266/2007-IA II (I)

**Name of the Entity/
Corporate Office**

Orient Cement Limited

Entity's PAN

NA

Entity Name as per PAN

NA

Entity details mentioned above is correct ?

Agree

Covering Letter

Covering Letter

[Click to View](#)

Compliance Reporting Details

Reporting Year

2023

Reporting Period

01 Dec(01 Apr - 30 Sep)

Remark(if any)

Project Activities are not yet commenced. Once, project activities are started, relevant conditions will be complied / fulfilled.

Details of Production and Project Area

Date of Commencement of Project/Activity

2021-05-06

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	425.91	425.91
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	425.91	425.91

PRODUCTION CAPACITY

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	Clinker	Million Tons per Annum (MTPA)	6.5	Project Activities Yet to be Commenced	Project Activities Yet to be Commenced		0
2	Electricity	MW	75	Project Activities Yet to be Commenced	Project Activities Yet to be Commenced		0
3	Cement	Million Tons per Annum (MTPA)	7.6	Project Activities Yet to be Commenced	Project Activities Yet to be Commenced		0

Conditions

Specific Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks/Reason and Supporting Documents
--------	-------------------	-------------------	--

1	AIR QUALITY MONITORING AND PRESERVATION	PM emissions from the stacks shall be less than 30 mg/Nm ³ .	PPs Submission	PM emissions will be ensured to less than 30 mg/Nm ³ once protect comes under operational stage. Agreed to Comply Attachment: NA
2	WATER QUALITY MONITORING AND PRESERVATION	Air cooled condensers shall be provided in the captive power plant.	PPs Submission	Air cooled condensers will be installed in the captive power plant for reduction of the water consumption. Agreed to Comply Attachment: NA
3	AIR QUALITY MONITORING AND PRESERVATION	Continuous Emission Monitoring System (CEMS) shall be provided on all process stacks and the signal shall be received in plant control room for central control of Air Pollution control Devices (APCD) installed in the plant.	PPs Submission	Continuous Emission Monitoring System (CEMS) will be provided to all process stacks and signals of the same will be connected to central control room. Agreed to Comply Attachment: NA
4	WASTE MANAGEMENT	Alternate fuel including colony/canteen waste and waste oil shall be used in cement kiln.	PPs Submission	Alternate fuels including colony/canteen waste, waste oil and other waste will be disposed in the cement kiln. Agreed to Comply Attachment: NA
5	AIR QUALITY MONITORING AND PRESERVATION	Dioxin and Furan monitoring shall be carried out once in six months at cement kiln stack.	PPs Submission	Dioxin and Furan monitoring will be complied once after completion of project and commencement of the production. Agreed to Comply Attachment: NA
6	ENERGY PRESERVATION MEASURES	Specific water and energy consumption in the plant shall not exceed. a.	PPs Submission	Specific energy, heat and water standards will be complied during operation phase of the new unit.

		Total Water consumption - 3250 KLD b. Specific heat consumption 690 kcal/kg clinker- c. Power consumption of Clinker Manufacturing reduced 52.0 kwh/Ton. d. Power consumption of Cement Grinding ? PPC - 63.0 kwh/Ton; OPC ? 80 kwh/t.		Agreed to Comply Attachment: NA
7	AIR QUALITY MONITORING AND PRESERVATION	Plant roads shall be paved and an industrial vacuum cleaner shall be deployed to clean the roads regularly to keep fugitive emission under control.	PPs Submission	Plant roads will be paved and vacuum cleaner will be deployed to clean the roads regularly to keep fugitive emission under control. Agreed to Comply Attachment: NA
8	WATER QUALITY MONITORING AND PRESERVATION	Rainwater Harvesting shall be carried out in the 7.5 acres pond area within the project premise.	PPs Submission	Rainwater Harvesting shall be carried out within the project premise. Agreed to Comply Attachment: NA
9	WATER QUALITY MONITORING AND PRESERVATION	Treated effluent from the plant shall be reused and recycled completely.	PPs Submission	Effluent will not be generated from the cement plant. Generated effluent from CPP will be recycled/ reused completely in the plant premises. Agreed to Comply Attachment: NA
10	MISCELLANEOUS	Parking facility inside the factory shall be provided for minimum of 350 vehicles.	PPs Submission	Adequate parking site will be provided for material transport vehicles. Agreed to Comply Attachment: NA

11	GREENBELT	Green belt shall be planted in 40% area (175 acres) with a tree density of 1000 trees per acre.	PPs Submission	Adequate greenbelt has been developed and further density will be enhanced. Agreed to Comply Attachment: NA
12	GREENBELT	Trees required to felled will need prior approval of the Competent Authority as per the rules / regulations of the State Government. To compensate for the loss of 1271 trees, 6000 trees or whatever is prescribed by the competent State Authority, whichever is more shall be additionally planted in the project area.	PPs Submission	Prior approval will be obtained from concern authority for felling down the trees and their recommendation will be followed. Agreed to Comply Attachment: NA
13	GREENBELT	50 m wide greenbelt will be raised within the Plant Area towards the Reserved Forests to serve as a buffer.	PPs Submission	Wide greenbelt was raised within the existing Plant Area towards the Reserved Forests to serve as a buffer. Being Complied Attachment: NA
14	WATER QUALITY MONITORING AND PRESERVATION	STP sludge shall be filtered in filter press.	PPs Submission	We will explore the possibility of arrangement of filter press as there is very less amount of sludge is being generated from STP and same is being used as manure to the plantation. Agreed to Comply Attachment: NA
15	AIR QUALITY MONITORING AND PRESERVATION	Four continuous ambient air quality monitoring system CAAQMS	PPs Submission	Already we have installed and connected 3 no's of CAAQM stations and 4th one will be installed once after installation of unit iv.

	shall be installed, and the location of these stations shall be decided in consultation with the state pollution control board (SPCB).	Agreed to Comply Attachment: NA
--	--	------------------------------------

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks/Reason and Supporting Documents	
1	Statutory compliance	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project.	PPs Submission	All the applicable approvals will be obtained from respective bodies under applicable acts/ rules/ subordinate legislations. Agreed to Comply Attachment: NA
2	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 Continuous Emission Monitoring System (CEMS) at process stacks to monitor stack emission as well as 4 Nos. Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be	PPs Submission	Continuous Emission Monitoring System (CEMS) to the process stacks and 4th CAAQM station once after installation of unit iv will be installed. Agreed to Comply Attachment: NA

		connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.		
3	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.	PPs Submission	We will monitor the fugitive emissions in the plant premises on periodical basis through labs recognized under Environment (Protection) Act, 1986. We are following the same existing plant. Agreed to Comply Attachment: NA
4	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	PPs Submission	Leakage detection and mechanized bag cleaning facilities will be installed for better maintenance of bags to control air pollution. Agreed to Comply Attachment: NA
5	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.	PPs Submission	We will ensure covered transportation and conveying of ore, coal and other raw material to prevent spillage and dust generation. We are using pneumatic conveying system for handling fly ash and bulkers for carrying the fly ash. Agreed to Comply Attachment: NA

6	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall provide wind shelter fence and chemical spraying on the raw material stockpiles.	PPs Submission	We will provide the wind shelter fence and water spraying on the raw material stockpiles to control the fugitive emissions during handling. Agreed to Comply Attachment: NA
7	AIR QUALITY MONITORING AND PRESERVATION	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport, and	PPs Submission	All the possible Efforts will be made to reduce the impacts of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport. Agreed to Comply Attachment: NA
8	AIR QUALITY MONITORING AND PRESERVATION	Ventilation system shall be designed for adequate air changes as per the prevailing norms for all tunnels, motor houses, cement bagging plants.	PPs Submission	Ventilation system will be designed for adequate air changes as per the prevailing norms for all tunnels, motor houses, cement bagging plants. Agreed to Comply Attachment: NA
9	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25th August, 2014 (Cement)and subsequent amendment dated 9th May, 2016 (Cement)and 10th May, 2016(in case of Co-processing Cement)as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power	PPs Submission	Effluent Quality Monitoring System for the parameters prescribed will be installed for the new project once the project comes under operation. Agreed to Comply Attachment: NA

		Plants)as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.		
10	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall regularly monitor ground water quality at least twice a year (pre and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	PPs Submission	Ground water quality & levels are being monitored on periodical basis for our existing unit and same will be followed for new project. Agreed to Comply Attachment: NA
11	WATER QUALITY MONITORING AND PRESERVATION	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	PPs Submission	Existing Sewage Treatment Plant will be used for the treatment of domestic wastewater. Capacity enhancement of the STP will be made if required. Agreed to Comply Attachment: NA
12	WATER QUALITY MONITORING AND PRESERVATION	Garland drains and collection pits shall be provided for each stockpile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	PPs Submission	Garland drains and collection pits will be provided for each stockpile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off. Agreed to Comply Attachment: NA

13	WATER QUALITY MONITORING AND PRESERVATION	Water meters shall be provided at the inlet to all unit processes in the cement plant.	PPs Submission	Water meters will be provided at the inlet to all unit processes in the cement plant. Agreed to Comply Attachment: NA
14	WATER QUALITY MONITORING AND PRESERVATION	The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.	PPs Submission	All the efforts will be made to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water. Agreed to Comply Attachment: NA
15	Noise Monitoring & Prevention	Noise quality shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	PPs Submission	Noise quality will be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 for unit iv after completion of the project and report of the same will be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report. Agreed to Comply Attachment: NA
16	ENERGY PRESERVATION MEASURES	Waste heat recovery system shall be provided for kiln and cooler.	PPs Submission	Waste heat recovery system (WHR) will be provided for kiln and cooler. Agreed to Comply Attachment: NA
17	ENERGY PRESERVATION MEASURES	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA

18	ENERGY PRESERVATION MEASURES	Provide the project proponent for LED lights in their offices and residential areas.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA
19	ENERGY PRESERVATION MEASURES	Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA
20	ENERGY PRESERVATION MEASURES	Maximize utilization of alternate fuels and Co-processing to achieve best practice norms.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA
21	WASTE MANAGEMENT	Used refractories shall be recycled as far as possible.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA
22	WASTE MANAGEMENT	Kitchen waste shall be composted or converted to biogas for further use.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA
23	GREENBELT	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees in the plant premises.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA
24	Human Health Environment	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	PPs Submission	Noted and will be complied. Agreed to Comply Attachment: NA
25	Human Health Environment	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection	PPs Submission	Garland drains and collection pits will be provided for each stockpile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.

		Equipment (PPE) as per the norms of Factory Act.	<p>Agreed to Comply Attachment: NA</p> <p>PPs Submission We will carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act. Agreed to Comply Attachment: NA</p>
26	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	<p>PPs Submission Occupational health surveillance of the workers will be done on a regular basis and records maintained. Agreed to Comply Attachment: NA</p>
27	Corporate Environmental Responsibility	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020.	<p>PPs Submission We will comply the provisions contained in the Ministry's OM vide F.No. 22-65/2017-IA.III dated 30/09/2020. Agreed to Comply Attachment: NA</p>
28	Corporate Environmental Responsibility	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms /	<p>PPs Submission Environmental Policy is in place and the same is being followed. Agreed to Comply Attachment: Click to View</p>

		conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.			
29	Corporate Environmental Responsibility	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	<table border="1"> <tr> <td>PPs Submission</td> <td>Separate Environmental Cell is in place at both the project and company head quarter level, with qualified personnel under the control of senior Executive, who will directly to the head of the organization. Complied Attachment: Click to View</td> </tr> </table>	PPs Submission	Separate Environmental Cell is in place at both the project and company head quarter level, with qualified personnel under the control of senior Executive, who will directly to the head of the organization. Complied Attachment: Click to View
PPs Submission	Separate Environmental Cell is in place at both the project and company head quarter level, with qualified personnel under the control of senior Executive, who will directly to the head of the organization. Complied Attachment: Click to View				
30	MISCELLANEOUS	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent?s website permanently.	<table border="1"> <tr> <td>PPs Submission</td> <td>We have made a public announcement through two daily newspapers on obtaining environmental clearance. Environmental clearance copy is also displayed in our company website at URL link: https://orientcement.com/sustainability/ Complied Attachment: Click to View</td> </tr> </table>	PPs Submission	We have made a public announcement through two daily newspapers on obtaining environmental clearance. Environmental clearance copy is also displayed in our company website at URL link: https://orientcement.com/sustainability/ Complied Attachment: Click to View
PPs Submission	We have made a public announcement through two daily newspapers on obtaining environmental clearance. Environmental clearance copy is also displayed in our company website at URL link: https://orientcement.com/sustainability/ Complied Attachment: Click to View				
31	MISCELLANEOUS	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the	<table border="1"> <tr> <td>PPs Submission</td> <td>Copies of the environmental clearance was submitted to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government. Complied Attachment: Click to View</td> </tr> </table>	PPs Submission	Copies of the environmental clearance was submitted to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government. Complied Attachment: Click to View
PPs Submission	Copies of the environmental clearance was submitted to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government. Complied Attachment: Click to View				

		same for 30 days from the date of receipt.		
32	MISCELLANEOUS	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis	PPs Submission	It is being complied for our existing unit and same will be complied to new project. Agreed to Comply Attachment: NA
33	MISCELLANEOUS	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	PPs Submission	It is being complied for our existing unit and same will be complied to new project. Agreed to Comply Attachment: NA
34	MISCELLANEOUS	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	PPs Submission	Six-monthly reports on the status of the compliance of the stipulated environmental conditions are being uploaded at the PARIVESH portal and submitted to SPCB & CPCB. Complied Attachment: NA
35	MISCELLANEOUS	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put	PPs Submission	Environmental Statement for each financial year in Form-V will be submitted to SPCB once the project comes under operation. Agreed to Comply Attachment: NA

		on the website of the company.		
36	MISCELLANEOUS	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	PPs Submission	We will inform the concern authorities regarding land development work and start of production operation of the project. Agreed to Comply Attachment: NA
37	MISCELLANEOUS	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	PPs Submission	Commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also during presentation to the Expert Appraisal Committee will be abide and fulfilled. Agreed to Comply Attachment: NA
38	MISCELLANEOUS	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	PPs Submission	Noted & No further expansion or modifications in the plant will be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC). Agreed to Comply Attachment: NA
39	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	PPs Submission	Noted. Agreed to Comply Attachment: NA

40	MISCELLANEOUS	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	PPs Submission	Noted. Agreed to Comply Attachment: NA
41	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	PPs Submission	Noted. Agreed to Comply Attachment: NA
42	MISCELLANEOUS	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	PPs Submission	We will extend our full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports during their inspection. Agreed to Comply Attachment: NA
43	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	PPs Submission	Noted. Agreed to Comply Attachment: NA

Document Upload

Last Site Visit Report (if available)

NA

Last Site Visit Report Date (if available)

Additional Attachment (if any)

NA

Additional Remarks (if any)

Project Activities are not yet commenced. Once, project activities are started, relevant conditions will be complied / fulfilled.

- I 'Orient Cement Limited' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.