

ORCEM/DVP/ENV/ 76  
21<sup>st</sup> May 2024

To,  
Inspector General of Forests (C),  
Integrated Regional Office (IRO) - Hyderabad,  
Ministry of Environment, Forests and Climate Change,  
6<sup>th</sup> Floor, Aranya Bhawan, Opp. RBI,  
Saifabad – 500004, Hyderabad, Telangana.  
[Iro.hyderabad-mefcc@gov.in](mailto:Iro.hyderabad-mefcc@gov.in)

Sub: Six-Monthly Compliance Status Report for Environmental Clearance for proposed staff quarters by M/s Orient Cement Limited, Sy. 84/4, 84/3/2, 84/16, 84/17, 84/44, 84/45, 84/63, 84/64, 84/65/2, 84/12, 57/3, Devapur (V), Kasipet (M) Mancherial District, Telangana state for the period of October 2023 to March 2024 - Reg.

Ref: EC Identification No. EC22B038TG115289 & File No. SIA/TG/MIS/279931/2022, dated 28/07/2022.

Dear Sir,

Reference with the Environmental Clearance cited above, we are herewith attached six monthly compliance status report for the period of October 2023 to March 2024 which was uploaded in PARIVESH 2.0 for our proposed staff quarters by M/s Orient Cement Limited, Sy. 84/4, 84/3/2, 84/16, 84/17, 84/44, 84/45, 84/63, 84/64, 84/65/2, 84/12, 57/3, Devapur (V), Kasipet (M) Mancherial District, Telangana state.

This is for your information & records please.

Thanking you,

Yours faithfully

For Orient Cement Limited



MP Joshi  
Sr. Vice President (Works) & Unit Head

Encl: A/a See

Copy:

1. Member Secretary, State Environment Impact Assessment Authority (SEIAA), Telangana, #305, Maithri Vihar, Ameerpet, Hyderabad – 500083.
2. Regional Director, Central Pollution Control Board, Regional Directorate (South), Nisarga Bhawan, 1<sup>st</sup> Floor, 7<sup>th</sup> D Cross, Thimmaiah Road, Shivanagar, Bengaluru - 560079, Karnataka.
3. Environmental Engineer, Telangana State Pollution Control Board, Regional Office, H. No. 6-2-166/A, 1<sup>st</sup> Floor, Subhash Nagar, Nizamabad – 503002, Telangana.

Orient Cement Limited

Devapur Plant : PO Devapur Cement Works, Adilabad (District), Telangana 504218, India.

+91 8736 240709 Fax : +91 8736 240522

Registered Office : Unit VIII, Plot No.7, Bhoingar, Bhubaneshwar, Odisha 751012, India [www.orientcement.com](http://www.orientcement.com)

CIN No : L26940OR2011PLC013933

Your (**Environment Clearance**) application has been **Submitted** with following details

<b>Proposal No</b>	SIA/TG/MIS/279931/2022
<b>Compliance ID</b>	51695771
<b>Compliance Number(For Tracking)</b>	EC/M/COMPLIANCE/51695771/2024
<b>Reporting Year</b>	2024
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)
<b>Submission Date</b>	29-05-2024
<b>IRO Name</b>	V Geroge Jenner
<b>IRO Email</b>	tr025@ifs.nic.in
<b>State</b>	TELANGANA
<b>IRO Office Address</b>	Integrated Regional Offices, Hyderabad
<b>Note:-</b> SMS and E-Mail has been sent to V Geroge Jenner, TELANGANA with Notification to Project Proponent.	

**Half Yearly Compliance Report  
2024  
01 Jun(01 Oct - 31 Mar)**

**Acknowledgment**

<b>Proposal Name</b>	ORIENT CEMENT LIMITED, Staff Quarters, Sy.No. 84/4, 84/3/2, 84/16, 84/17, 84/44, 84/45, 84/63, 84/64, 84/65/2, 84/12, 57/3, Devapur (V), Kasipet (M), Mancherial (D) Telangana State - 504218.		
<b>Name of Entity / Corporate Office</b>	ORIENT CEMENT LIMITED		
<b>Village(s)</b>	N/A		
<b>District</b>	MANCHERIAL		
<b>Proposal No.</b>	SIA/TG/MIS/279931/2022	<b>Category</b>	INFRA-2
<b>Plot / Survey / Khasra No.</b>	N/A	<b>Sub-District</b>	N/A
<b>State</b>	TELANGANA	<b>Entity's PAN</b>	NA
<b>MoEF File No.</b>	EC22B038TG115289	<b>Entity name as per PAN</b>	NA

**Compliance Reporting Details**

<b>Reporting Year</b>	2024
<b>Remarks (if any)</b>	Township Project is under construction phase.
<b>Reporting Period</b>	01 Jun(01 Oct - 31 Mar)

**Details of Production and Project Area**

**Name of Entity / Corporate Office**      ORIENT CEMENT LIMITED

	<b>Project Area as per EC Granted</b>	<b>Annual Project Area in Possession</b>
Private	3.804	3.804
Revenue Land	0	0
Forest	0	0
Others	0	0
<b>Total</b>	<b>3.804</b>	<b>3.804</b>

**Production Capacity**

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Construction	Square per Meter(SQM)	N/A	38040.05	38040.05	

**Conditions**

## Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Corporate Environmental Responsibility	The company shall draw up and implement corporate social responsibility plan as per the Companies Act of 2013.
<b>PPs Submission:</b> Agreed to Comply Corporate Social Responsibility plan as per the acts and rules will be framed and implemented.		Date: 27/05/2024
2	Statutory compliance	The consent for Operation (CFO)/Occupancy Certificate shall be issued only after getting necessary permission for required water supply from HMWSSB/ Concerned authority.
<b>PPs Submission:</b> Agreed to Comply Permission/NOC is obtained from Groundwater Department, Telangana NOC no. TSGWD/MNCL/WALTA/NOC/IN/0001 & 0002, valid from 04.10.2023 up to 03.10.2026.		Date: 27/05/2024
3	WATER QUALITY MONITORING AND PRESERVATION	All recharges should be limited to shallow aquifer.
<b>PPs Submission:</b> Agreed to Comply Agreed to comply.		Date: 27/05/2024
4	MISCELLANEOUS	The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Services Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from competent Authority as required.
<b>PPs Submission:</b> Agreed to Comply • Adequate fire safety measures and equipment as per National Building Code/ Fire Services Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time will be provided. • Necessary permission/NOC regarding fire safety from competent Authority as required will be obtained.		Date: 27/05/2024
5	Statutory compliance	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
<b>PPs Submission:</b> Agreed to Comply All necessary clearance/permissions from all relevant agencies including town planning authority if required will be obtained. All the construction will be done in accordance with the local building byelaws.		Date: 27/05/2024
6	WASTE MANAGEMENT	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic waste Converter. Designated area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent dumping site.
<b>PPs Submission:</b> Agreed to Comply • Solid waste management will be made by providing separate bins for dry and wet waste.		Date:

			27/05/2024
7	Corporate Environmental Responsibility	The proponent shall earmark funds under Corporate Environmental Responsibility (CER) for the activities such as waste management, Solar Street Lights, Drinking Water, health Camps, Rainwater harvesting, Training & Education and Avenue Plantation etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.	
<b>PPs Submission:</b> Agreed to Comply • Waste management, Solar Street Lights, Drinking Water, health Camps, Rainwater harvesting, Training & Education and Avenue Plantation etc., will be proposed under Corporate Environmental Responsibility (CER). • Funds earmarked for CER activities will not be used for other purposes. • Monitoring and compliance report of the CER activities will be submitted along with six monthly compliance reports.			Date: 27/05/2024
8	Statutory compliance	The proponent shall: not discharge any waste water outside the premises until their project's outlet is connected to public sewer line and till such time they will reuse 100% of treated waste within water within the project premises; conform to the WALTA Act and the water consumption shall be as per permissions granted by the concerned Authorities; conform to the provisions laid under the Real Estate (Regulation & Development) Act, 2016 issued by the Ministry of Law & Justice, GoI & its subsequent amendments (if an); adopt green building concepts and use renewable energy by adopting Energy Conservation practices, Energy efficient practices & Energy audit practices, etc., Develop green area with all growing tree species. Include the species of Mosquito repellent & Aromatic plants along with other plants for development of greenbelt. Conform to the provisions laid under the Real Estate (Regulation & Development) Act,2016, issued by the Ministry of law & Justice, GoI.	
<b>PPs Submission:</b> Agreed to Comply Provisions laid under the Real Estate (Regulation & Development) Act, 2016 issued by the Ministry of Law & Justice, GoI & its subsequent amendments will be followed.			Date: 27/05/2024
9	Statutory compliance	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. As per National Building Code including protection measures from lightening etc.	
<b>PPs Submission:</b> Agreed to Comply Approval of the Competent Authority will be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. As per National Building Code including protection measures from lightening etc.			Date: 27/05/2024
10	Statutory compliance	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.	
<b>PPs Submission:</b> Complied Permission/NOC is obtained from Groundwater Department, Telangana for extracting groundwater through 2 no's of Jack Wells from Peddavagu Nala near Devapur village.			Date: 27/05/2024
11	Statutory compliance	The Project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning	

		authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
<p><b>PPs Submission:</b> Agreed to Comply All necessary clearances/ permissions from all relevant agencies including town planning authority before commencement of work will be obtained. All the construction will be done in accordance with the local building byelaws.</p>		<p>Date: 27/05/2024</p>
12	Statutory compliance	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act,1980, in case of the diversion of forest land for no forest purposes involved in the project.
<p><b>PPs Submission:</b> Agreed to Comply Obtaining forest clearance will not be applicable as the land is our own and no forest purposes are involved.</p>		<p>Date: 27/05/2024</p>
13	Statutory compliance	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
<p><b>PPs Submission:</b> Agreed to Comply Power requirement of the project will be met from our Cement Factory having contract power supply from TSSPDCL. OCL also having a Captive Thermal Power at our Cement Plant.</p>		<p>Date: 27/05/2024</p>
14	Statutory compliance	The provisions of the solid waste Management Rules, 206, e-Waste (Management) Rules,2016, and the Plastics Waste Management Rules,2016 shall be followed.
<p><b>PPs Submission:</b> Agreed to Comply Applicable rules will be followed.</p>		<p>Date: 27/05/2024</p>
15	Statutory compliance	The project proponent shall follow the ECB/ECBE-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
<p><b>PPs Submission:</b> Agreed to Comply ECB/ECBE-R prescribed by Bureau of Energy Efficiency, Ministry of Power will be followed.</p>		<p>Date: 27/05/2024</p>
16	AIR QUALITY MONITORING AND PRESERVATION	Notification GSR 94(E) dated 25.01.2018 of MoEF & CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for project requiring Environmental Clearance shall be complied with.
<p><b>PPs Submission:</b> Being Complied Dust Mitigation Measures for Construction and Demolition Activities mentioned in the said notification are being implemented.</p>		<p>Date: 27/05/2024</p>
17	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install system to carryout Ambient Air Quality Monitoring for common/ criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
<p><b>PPs Submission:</b> Being Complied Since the construction project situated in our existing township, we are already having continuous ambient air quality monitoring station (CAAQMS) in our township. OCL conducting air quality monitoring with third party in our colony in regular intervals.</p>		<p>Date: 27/05/2024</p>
18	AIR QUALITY MONITORING AND PRESERVATION	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environmental (Protection) Act,1986. The height of the of stack of

		DG sets should be equal to the height needed for the combined capacity of all proposed DG Sets. Use of low Sulphur diesel. The location of the DG sets may be decided within consultation with state pollution control board and exhaust pipe height shall be as per the provisions of the Central Pollution Control board (CPCB) norms.
<b>PPs Submission:</b> Agreed to Comply Agreed to Comply the condition.		Date: 27/05/2024
19	AIR QUALITY MONITORING AND PRESERVATION	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/wind breaking walls all around the site (at least 3 Meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
<b>PPs Submission:</b> Complied Construction site is adequately barricaded before the construction begins. Plastic/tarpaulin sheet covers are provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.		Date: 27/05/2024
20	AIR QUALITY MONITORING AND PRESERVATION	For indoor air quality the ventilation provisions as per national building code o India.
<b>PPs Submission:</b> Agreed to Comply Ventilation provisions will be made as per national building code o India.		Date: 27/05/2024
21	ENERGY PRESERVATION MEASURES	Opaque wall should meet prescriptive requirement as per Energy Conservation Building code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirements.
<b>PPs Submission:</b> Agreed to Comply Agreed to Comply.		Date: 27/05/2024
22	ENERGY PRESERVATION MEASURES	Energy Conservation measures like installation of CFLs/LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
<b>PPs Submission:</b> Agreed to Comply Agreed to Comply.		Date: 27/05/2024
23	ENERGY PRESERVATION MEASURES	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet at least 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-law's requirement, whichever is higher.
<b>PPs Submission:</b> Agreed to Comply Agreed to Comply.		Date: 27/05/2024

24	WASTE MANAGEMENT	Fly Ash material should be used as building material in the construction as per the provision of Fly Ash Notification of September,1999 and amended as on 27th August,2003 and 25th January,2016.
<b>PPs Submission:</b> Agreed to Comply Fly ash material is being used in the construction project.		Date: 27/05/2024
25	MISCELLANEOUS	The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic b. Proper design of entry and exit points. c. Parking norms as per local regulation.
<b>PPs Submission:</b> Agreed to Comply Road system will be established as per the condition.		Date: 27/05/2024
26	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis.
<b>PPs Submission:</b> Agreed to Comply Occupational health surveillance of the workers will be done on a regular basis.		Date: 27/05/2024
27	Corporate Environmental Responsibility	Action plan for implementing EMP and environmental conditions shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Minister/ Regional Office along with the Six-Monthly Compliance Report.
<b>PPs Submission:</b> Complied Agreed to Comply. Budget allocation made for the implementation of EMP is given below. Sl. No. Component Amount Rs Lakhs Capital Expenditure 1 Dust Suppression 2 2 STP & storm water management 30 3 Green Belt Development 10 4 Rainwater Harvesting 10 Total 52 Recurring Expenditure 10.00 lakhs (per annum) The recurring expenditure includes maintenance of green area & landscape, monitoring of environmental attributes and maintenance & operation of STP and rainwater harvesting system.		Date: 27/05/2024
28	Corporate Environmental Responsibility	The proponent shall strictly follow the OM No.22-65/217-IA.III, dt: 25.02.2021 and implement the commitments made by project proponent as a part of CER contained in EIA/EMP report.
<b>PPs Submission:</b> Agreed to Comply Agreed to comply.		Date: 27/05/2024
29	WATER QUALITY MONITORING AND PRESERVATION	Rainwater harvesting for roof run -off shall be implemented. Before recharging pretreatment must be done to remove suspended matter, oil and grease. A sump may also be constructed along with Rainwater harvesting pits to save water.
<b>PPs Submission:</b> Agreed to Comply • Rooftop rainwater harvesting system and recharge pits will be provided as per the guidelines. • Pretreatment will be made to remove suspended matter, oil, and grease. • A sump will also be constructed along with Rainwater harvesting pits to save water.		Date: 27/05/2024
30	AIR QUALITY MONITORING AND PRESERVATION	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.



<p><b>PPs Submission:</b> Complied Unpaved surfaces and loose soil is being adequately sprinkled with water to suppress dust.</p>		<p>Date: 27/05/2024</p>
31	<p>AIR QUALITY MONITORING AND PRESERVATION</p>	<p>All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the construction and Demolition waste management Rules 2016.</p>
<p><b>PPs Submission:</b> Agreed to Comply All construction and demolition debris is being stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed.</p>		<p>Date: 27/05/2024</p>
32	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>The quality of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent.</p>
<p><b>PPs Submission:</b> Agreed to Comply The quality of freshwater usage, water recycling and rainwater harvesting will be measured and recorded to monitor the water balance.</p>		<p>Date: 27/05/2024</p>
33	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing thermal cooling etc. shall be done.</p>
<p><b>PPs Submission:</b> Agreed to Comply Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing thermal cooling etc. will be done.</p>		<p>Date: 27/05/2024</p>
34	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.</p>
<p><b>PPs Submission:</b> Agreed to Comply Separation of grey and black water will be done by the use of dual plumbing system.</p>		<p>Date: 27/05/2024</p>
35	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.</p>
<p><b>PPs Submission:</b> Complied Water demand during construction is being reduced by use of pre-mixed concrete, curing agents and other best practices.</p>		<p>Date: 27/05/2024</p>
36	<p>WATER QUALITY MONITORING AND PRESERVATION</p>	<p>The installation of the Sewage Treatment Plant (STP) of 200 KLD should be certified by an independent expert and a report in this regard should be submitted to the SEIAA before the project is commissioned for operation. Discharge of treated wastewater shall conform to the standards stipulated under schedule-6 of Environment (Protection) Act, 1986 and its amendments thereof. Sewage Treatment Plant should be monitored on a regular basis. In the absence of public sewers, no wastewater shall be discharged outside the premises. The excess treated wastewater, if any, is to be reused within the premises is., discharged into an artificial pond within the premises and can be utilized for recreational purposes. The proponent shall adopt dual plumbing system for reuse of treated wastewater and</p>

		also take necessary water conservation measures in the project.
<b>PPs Submission:</b> Agreed to Comply Additional STP will be installed.		Date: 27/05/2024
37	Noise Monitoring & Prevention	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance reports.
<b>PPs Submission:</b> Agreed to Comply Noise level survey will be carried out.		Date: 27/05/2024
38	Noise Monitoring & Prevention	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
<b>PPs Submission:</b> Agreed to Comply Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel will be implemented.		Date: 27/05/2024
39	ENERGY PRESERVATION MEASURES	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid systems or fully solar system for a portion of the apartments should be provided.
<b>PPs Submission:</b> Agreed to Comply Solar energy will be used for common areas.		Date: 27/05/2024
40	ENERGY PRESERVATION MEASURES	Concept of passive solar design that minimizes energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per Energy Conservation Building Code (ECBC) specifications.
<b>PPs Submission:</b> Agreed to Comply Agreed to Comply.		Date: 27/05/2024
41	WATER QUALITY MONITORING AND PRESERVATION	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and harvest rainwater.
<b>PPs Submission:</b> Agreed to Comply No construction will be allowed to obstruct the natural drainage through the site. Sustainable urban drainage systems (SUDS) will be provided.		Date: 27/05/2024
42	WATER QUALITY MONITORING AND PRESERVATION	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
<b>PPs Submission:</b> Agreed to Comply Buildings are designed to follow the natural topography as much as possible.		Date: 27/05/2024

43	WATER QUALITY MONITORING AND PRESERVATION	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc for water conservation shall be incorporated in the building plan.
<b>PPs Submission:</b> Agreed to Comply Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc for water conservation will be incorporated.		Date: 27/05/2024
44	WATER QUALITY MONITORING AND PRESERVATION	A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the competent authority.
<b>PPs Submission:</b> Agreed to Comply Rainwater harvesting plan will be implemented.		Date: 27/05/2024
45	WATER QUALITY MONITORING AND PRESERVATION	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
<b>PPs Submission:</b> Agreed to Comply Groundwater dewatering is not envisaged for this project.		Date: 27/05/2024
46	WATER QUALITY MONITORING AND PRESERVATION	No sewage or untreated effluent water would be discharged through storm water drains.
<b>PPs Submission:</b> Agreed to Comply No sewage or untreated effluent water will be discharged through storm water drains. Separate line will be established.		Date: 27/05/2024
47	WATER QUALITY MONITORING AND PRESERVATION	Storm water control and its re-use shall be as per CGWB and BIS standards for various applications.
<b>PPs Submission:</b> Agreed to Comply Agreed to comply the condition.		Date: 27/05/2024
48	Noise Monitoring & Prevention	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (control and regulation) Rules,2000. Incremental pollution loads on the ambient air and noise quality shall be periodically monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.
<b>PPs Submission:</b> Agreed to Comply Ambient noise levels are being monitored at our existing township premises. Ambient air & noise levels will be monitored during construction phase.		Date: 27/05/2024
49	WASTE MANAGEMENT	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.

<p><b>PPs Submission:</b> Agreed to Comply Separate wet and dry bins will be provided in each unit and at the ground level for facilitating segregation of waste</p>		<p>Date: 27/05/2024</p>
50	WASTE MANAGEMENT	Organic waste compost / vermiculture pit/ Organic waste converter within the premises with a minimum capacity of 0.3kg / person/day must be installed.
<p><b>PPs Submission:</b> Agreed to Comply 1000kg/day Organic waste composter will be installed.</p>		<p>Date: 27/05/2024</p>
51	WASTE MANAGEMENT	Use of environmentally friendly materials in bricks blocks and other construction materials, shall be required for at least 20% such as Fly Ash Bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, compressed earth blocks and other environment friendly materials.
<p><b>PPs Submission:</b> Agreed to Comply Environmentally friendly material are being used in the construction project.</p>		<p>Date: 27/05/2024</p>
52	WASTE MANAGEMENT	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition waste management Rules,2016.
<p><b>PPs Submission:</b> Agreed to Comply Agreed to comply the condition.</p>		<p>Date: 27/05/2024</p>
53	GREENBELT	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
<p><b>PPs Submission:</b> Agreed to Comply Noted and Agreed to comply the condition.</p>		<p>Date: 27/05/2024</p>
54	GREENBELT	No tree cutting /transplantations has been proposed in the instant project. A minimum of 1 tree for every 80 Sq.m of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and / or invasive species should not be used for landscaping.
<p><b>PPs Submission:</b> Agreed to Comply Noted and Agreed to comply. Native plant species with heavy foliage, broad leaves and wide canopy cover will be selected for plantation. • Plants will be placed at the spacing of 80 SQM.</p>		<p>Date: 29/05/2024</p>
55	WATER QUALITY MONITORING AND PRESERVATION	The local bye-law provisions on rainwater harvesting should be followed. If local bye-law provision is not available, adequate provisions for storage and recharge should be followed as per Ministry of Urban Development Model Building Byelaws, 2016. The numbers of rainwater harvesting recharge pits shall be provided for rainwater harvesting after filtration as per CGWB guidelines.
<p><b>PPs Submission:</b> Agreed to Comply The local bye-law provisions on rainwater harvesting will be followed. If local bye-law provision is not available, adequate provisions for storage and recharge will be followed as per Ministry of Urban Development Model Building Byelaws, 2016. The numbers of rainwater harvesting recharge</p>		<p>Date: 27/05/2024</p>

		pits will be provided for rainwater harvesting after filtration as per CGWB guidelines.	
56	MISCELLANEOUS	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized, and no public space should be utilized.	
<b>PPs Submission:</b> Agreed to Comply Parking will be made completely internal.			Date: 27/05/2024
57	Statutory compliance	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosive, Fire Department, civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	
<b>PPs Submission:</b> Agreed to Comply Applicable clearances will be obtained.			Date: 27/05/2024
58	AIR QUALITY MONITORING AND PRESERVATION	A Management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.	
<b>PPs Submission:</b> Being Complied Management plan will be drawn up and implemented to contain exceedance in ambient air quality if any at the site.			Date: 27/05/2024
59	AIR QUALITY MONITORING AND PRESERVATION	Sand, murrum, loose soil cement, stored on site shall be covered adequately so as to prevent dust pollution.	
<b>PPs Submission:</b> Complied Sand, murrum, loose soil, cement, stored on site are covered adequately so as to prevent dust pollution.			Date: 27/05/2024
60	AIR QUALITY MONITORING AND PRESERVATION	Wet jet shall be provided for grinding and stone cutting.	
<b>PPs Submission:</b> Agreed to Comply Wet jet will be provided for grinding and stone cutting.			Date: 27/05/2024
61	WATER QUALITY MONITORING AND PRESERVATION	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	
<b>PPs Submission:</b> Agreed to Comply OCL proposed to use the water from Devapur Vagu (Peddavagu) though existing jack wells. Permission was obtained for water withdrawal. No water usage from local bodies is envisaged.			Date: 27/05/2024
62	WATER QUALITY MONITORING AND PRESERVATION	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from Solid waste processing plant & STP.	
<b>PPs Submission:</b> Agreed to Comply Agreed to comply the condition.			Date:

			27/05/2024
63	ENERGY PRESERVATION MEASURES	Compliance with the energy conservation building code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the states which have notified their own ECBC, shall be ensured. Buildings in the states which have notified their own ECBC, shall comply with the state ECBC.	
<b>PPs Submission:</b> Agreed to Comply Compliance with the energy conservation building code (ECBC) of Bureau of Energy Efficiency will be ensured.			Date: 27/05/2024
64	ENERGY PRESERVATION MEASURES	Outdoor and common area lighting shall be LED. Proposed energy saving measures would save about 15% of power.	
<b>PPs Submission:</b> Agreed to Comply LED lighting will be implemented outdoor.			Date: 27/05/2024
65	ENERGY PRESERVATION MEASURES	Use of glass may be reduced by upto 40% to reduce the electricity consumption and load on air-conditioning. If necessary, high quality double glass with special reflective coating in window is to be used.	
<b>PPs Submission:</b> Agreed to Comply Agreed to Comply.			Date: 27/05/2024
66	WASTE MANAGEMENT	A certificate from the competent authority who are handling municipal solid wastes, shall be obtained indicating existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from the project.	
<b>PPs Submission:</b> Agreed to Comply Our own engaged personnel will be involved in handling municipal solid waste.			Date: 27/05/2024
67	WASTE MANAGEMENT	Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Telangana State Pollution Control Board.	
<b>PPs Submission:</b> Agreed to Comply Hazardous and Biomedical waste will be disposed as per the rules.			Date: 27/05/2024
68	Human Health Environment	For indoor air quality the ventilation provisions as per National Building Code of India.	
<b>PPs Submission:</b> Agreed to Comply Ventilation will be designed and provided as per the rules.			Date: 27/05/2024
69	Human Health Environment	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plant shall be implemented.	
<b>PPs Submission:</b> Complied Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan is in place.			Date: 27/05/2024
70	Corporate Environmental Responsibility	The project shall have a well laid down environmental policy. The environmental policy should prescribe for standard operating	

		procedures to have proper checks and balances and to bring into focus any infringements / deviation / violation of the environmental conditions.
<b>PPs Submission:</b> Complied Corporate Environmental Policy is in place.		Date: 27/05/2024
71	Corporate Environmental Responsibility	A separate Environmental Cell to monitor the environmental conditions / norms with qualified personnel shall be set up.
<b>PPs Submission:</b> Complied Existing Environmental Cell of our Cement Plant will be used for this project.		Date: 27/05/2024
72	WASTE MANAGEMENT	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
<b>PPs Submission:</b> Agreed to Comply Agreed to comply the condition.		Date: 27/05/2024
73	WASTE MANAGEMENT	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
<b>PPs Submission:</b> Agreed to Comply Agreed to comply the condition.		Date: 27/05/2024
74	WASTE MANAGEMENT	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the state pollution control board.
<b>PPs Submission:</b> Agreed to Comply Noted and Agreed to comply. No hazardous waste will be generated during construction phase of the project.		Date: 27/05/2024
75	WASTE MANAGEMENT	Used CFLs and TFLs should be properly collected and disposed off/ sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
<b>PPs Submission:</b> Agreed to Comply Used CFL & TFL bulbs will be collected and disposed off as per the ruled and regulations.		Date: 27/05/2024
76	GREENBELT	The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use by the MoE&F, GOI/CPCB. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety. Species of Mosquito repellent & aromatic plants along with other plants shall also be included for development of greenbelt. During nighttime the noise levels measured at the boundary of the prevalent regulations. The proponent shall develop and maintain greenbelt with all growing with tall growing trees instead of laws, etc., to maximum extent. The proponent shall also Geotag all the saplings planted.

<b>PPs Submission:</b> Agreed to Comply Agreed to comply.		Date: 27/05/2024
77	GREENBELT	Green area of at least 10% of the site area shall be developed and maintained.
<b>PPs Submission:</b> Agreed to Comply Agreed to comply.		Date: 27/05/2024
78	MISCELLANEOUS	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
<b>PPs Submission:</b> Agreed to Comply We will ensure the vehicle hired for bringing construction material to the site will be in good condition and having a pollution check certificate		Date: 27/05/2024
79	MISCELLANEOUS	Adequate number of parking spaces shall be provided for visitor vehicles. Rest room facilities should be provided for service population. The proponent shall provide public convenience facilities such as toilets, bathrooms, waiting rooms etc. for the drivers, workers etc. so as to maintain cleanness/hygienic conditions in the surroundings of the project.
<b>PPs Submission:</b> Agreed to Comply Adequate number of parking spaces will be provided.		Date: 27/05/2024
80	Human Health Environment	All workers working at the construction site and involved in loading, unloading carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
<b>PPs Submission:</b> Agreed to Comply PPE will be provided to all the workers.		Date: 27/05/2024
81	Human Health Environment	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. the housing may be in the form of temporary structure to remove after the completion of the project.
<b>PPs Submission:</b> Complied Provision was made for the housing of construction labor within the site with all necessary infrastructure and facilities.		Date: 27/05/2024
82	Human Health Environment	A First Aid Room shall be provided in the project both during construction and operations of the project.
83	Statutory compliance	The project proponents would devise a monitoring plan to the satisfaction of the state pollution control board so as to continuously monitor the treated wastewater being used for flushing in terms of fecal coliform and other pathogenic bacteria.
<b>PPs Submission:</b> Agreed to Comply The project is under construction phase. Monitoring plan will be made as per the TSPCB guidelines to monitor the wastewater in terms of fecal coliform and other pathogenic bacteria.		Date: 27/05/2024



84	WATER QUALITY MONITORING AND PRESERVATION	The project proponents would commission a third-party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated wasters and fresh waters for flushing and quality of water being supplied through spray faucets attached to toilet seats.
<b>PPs Submission:</b> Agreed to Comply Third-party study will be conducted as per the condition once the project comes under operation. However, treated wastewater from STP will be used for only greenbelt development.		Date: 27/05/2024
<b>General Conditions</b>		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	Consent for operation (CFO) of the project shall be obtained from the Telangana State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the water (Prevention and Control of Pollution) Act, 1974, after obtaining CFE of the Board, before occupancy.
<b>PPs Submission:</b> Agreed to Comply Consent for operation (CFO) of the project will be obtained from the Telangana State Pollution Control Board		Date: 27/05/2024
2	MISCELLANEOUS	The SEIAA may revoke or suspend the order, if implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further conditions in the interest of environmental protection.
<b>PPs Submission:</b> Agreed to Comply Noted.		Date: 27/05/2024
3	Statutory compliance	The proponent shall not carry out any construction activity in the earmarked Open area, green area & Road area of the project, as committed by the project proponent. Any deviation in the proposed earmarked areas shall make EC invalid.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		Date: 27/05/2024
4	WASTE MANAGEMENT	The proponent shall: not discharge any waste water outside the premises until their project's outlet is connected to public sewer line and till such time they shall reuse 100% of treated waste water within the project premises; conform to the WALTA Act and the water consumption shall be as per permissions granted by the Concerned Authorities: conform to the provisions laid under the Real Estate (Regulation & Development) Act, 2016 issued by the Ministry of Law & Justice, GoI & its subsequent amendments (if any); adopt green building concepts and use renewable energy by adopting Energy Conservation practices, Energy efficient practices & Energy audit practices, develop green area with all growing tree species. Include the species of Mosquito repellent & Aromatic plants along with other plants for development of greenbelt etc.

<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		Date: 27/05/2024
5	Statutory compliance	All the conditions, liabilities and legal provisions contained in the EC shall be equally applicable to the successor management of the project in the event of the project proponent transferring the ownership, maintenance of management of the project to any other entity.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		Date: 27/05/2024
6	Statutory compliance	The proponent shall submit half-yearly compliance reports in respect of the terms and conditions stipulated in this order in hard and soft copies to the SEIAA; TSPCB and CCF, Integrated Regional Office of MoEF & CC GoI, Hyderabad on 1st June and 1st December of each calendar Year.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		Date: 27/05/2024
7	MISCELLANEOUS	The proponent should implement the project as per the details mentioned in this order. In the case of change (s) in the scope of the project, the project would require a fresh appraisal by this SEIAA. No further expansion or modification in the project shall be carried out without prior approval of the SEIAA, TS.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		Date: 27/05/2024
8	MISCELLANEOUS	This order is valid for a period of 7 years from the date of issue of this order.
<b>PPs Submission:</b> Agreed to Comply Noted.		Date: 27/05/2024
9	Statutory compliance	“Consent for Establishment” (CFE) shall be obtained from Telangana State Pollution Control Board under air and water Act before the start of any construction work at site under Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.
<b>PPs Submission:</b> Agreed to Comply “Consent for Establishment” (CFE) will be obtained from Telangana State Pollution Control Board.		Date: 27/05/2024
10	Statutory compliance	The proponent shall submit the Environmental Statement for every financial year in Form-V to the state PCB as prescribed under E(P) Act, 1986, as amended subsequently and will be put on the website of the project.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		Date: 27/05/2024
11	MISCELLANEOUS	Official from the TSPCB and Integrated Regional Office of MoEF &CC, GoI, Hyderabad who would be monitoring the implementation of environmental safeguards proponents during their inspection. A

		complete set of all the documents shall be submitted to the TSPCB and CCF, Integrated Regional Office to MoEF & CC, GoI, Hyderabad.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		<b>Date:</b> 27/05/2024
12	PUBLIC HEARING	The environment safeguards contained in the EMP Report should be implemented in letter and spirit. The responsibility of implementation of environmental safeguards rests fully with the proponent i.e. M/s. Orient Cement Limited.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		<b>Date:</b> 27/05/2024
13	MISCELLANEOUS	The project shall submit the copies of the Environmental clearance to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
<b>PPs Submission:</b> Complied copies of the Environmental clearance was submitted to concerned authorities and relevant offices.		<b>Date:</b> 27/05/2024
14	Statutory compliance	The project proponent shall obtain all other statutory clearances, as applicable, from the competent authorities.
<b>PPs Submission:</b> Agreed to Comply All statutory clearances, as applicable, from the competent authorities will be obtained.		<b>Date:</b> 27/05/2024
15	MISCELLANEOUS	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
<b>PPs Submission:</b> Agreed to Comply Noted.		<b>Date:</b> 27/05/2024
16	Statutory compliance	The funds earmarked for environmental protection measures (Capital cost: 52.0 lakhs and recurring cost: 10.0 lakhs/annum) should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the SEIAA and Ministry's Integrated Regional Office located at Hyderabad and TSPCB.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		<b>Date:</b> 27/05/2024
17	MISCELLANEOUS	These stipulations would be enforced among others under the provisions of water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the environment (Protection) Act, 1986, the Public Liability (insurance) Act, 1991 and EIA Notification, 2006, and its amendments thereof
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		<b>Date:</b> 27/05/2024

18	MISCELLANEOUS	Grant of EC is also subject to Circulars issued under the EIA Notification 2006, which are available on the MOEF website: <a href="http://www.parivesh.nic.in">www.parivesh.nic.in</a>
<b>PPs Submission:</b> Complied Noted		Date: 27/05/2024
19	Statutory compliance	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Telangana State Pollution Control Board. The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should be forwarded to the Integrated Regional Office of this Ministry at Hyderabad.
<b>PPs Submission:</b> Complied EC accorded information advertised in 2 newspapers circulated in the region on 17.09.2022. 1. Telugu, Andhraprabha daily. 2. English, Deccan Chronicle daily.		Date: 27/05/2024
20	MISCELLANEOUS	Concealing the factual data or failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986 without any prior notice.
<b>PPs Submission:</b> Agreed to Comply Noted and agreed to comply.		Date: 27/05/2024
<b>Visit Remarks</b>		
<b>Last Site Visit Report Date:</b>		N/A
<b>Additional Remarks:</b>		Township Project is under construction phase.

# టీఆర్ఎస్ ప్రభుత్వ దుష్ప్రచారాన్ని ఎండగట్టండి

- జిన్నాభక్తుల దివోదానం గుర్తుకువచ్చిందా..?  
- జిజేపీ జిల్లా అధ్యక్షులు

నవంబర్ 16(ప్రభస్వూస్)  
పుల సంక్షోభంలో కూరుకు  
కేంద్రంపై దుష్ప్రచారం  
ప్రచారాలపై పార్టీ శ్రేణులు  
లని దిజేపీ జిల్లా అధ్యక్షులు  
చ్చారు. బీజేపీ జిల్లా కార్య  
పాయల్ శంకర్ అధ్యక్షతన  
సంఘటన సమావేశంలో  
శ్రీనివాస్, పార్లమెంటు ఇం  
మామన్న ముఖ్య అతిథిగా



నమావేశంలో మాట్లాడుతున్న పాయల్ శంకర్

రు. టీఆర్ఎస్ ప్రభుత్వం పథకాలు, రకరకాల బంధు  
ల పేరుతో చేస్తున్న మోసాలను అన్ని మాధ్యమాల

వజుకు పుట్టిందని, ఎన్నడు లేనివిధంగా ప్రచార  
ర్యాలిలు నిర్వహించడం హాస్యస్పందంగా ఉందన్నారు.

## పార్టీకి ప్రజలకు మధ్య వారధి కావాలి

ఈసందర్భంగా పార్లమెంటు నియోజక వర్గ ఇంచార్జి  
అయ్యున్న గారి భూమిన్న మాట్లాడుతూ పార్టీకి  
ప్రజలకు మధ్య వారధి నాయకులు, కార్యకర్తలు  
వ్యవహరించాలన్నారు. బీజేపీలో అందరు కార్యకర్త  
లేనని అందరూ కప్పవడి వసచేస్తే అందరికీ పార్టీ  
బలోపేతం అవుతుందని అన్నారు. పార్లమెంటు  
కన్వీనర్ కోకనీసర్గా నియమితులైన వారిని జిల్లా  
ప్రసాదంబ్బాను సన్మానరచాయి. గ్రామీణులైన,  
యూత్ ఫ్యూలు, యువకులు తదితరులున్నారు



నలు

నవంబర్ 16(ప్రభస్వూస్)  
మాల ఆదివాసీలు నీరికొండ లో ఏకమై  
యాత్రగా శుక్రవారం బయలుదేరారు.  
శాసనండ్ తొలగించాలని డిమాండ్ చేస్తూ  
కున్న అన్యాయాలను నిరసనూ జిల్లా  
పాదయాత్రను విజయవంతం చేయాల  
డుండెట్టు మండల అధ్యక్షులు కుమ  
నర్, ధీం రావ్, జంపూపు, కోసీరావ్,

## ప్రకటన

జీరియంట్ సీమెంట్ లిమిటెడ్ . సర్వే నెం. 84/4, 84/3/2, 84/16, 84/17, 84/44,  
84/45, 84/63, 84/64, 84/65/2, 84/12, 57/3, దేవాపూర్ గ్రామము, కాసిపేట  
మండలం, మంచెర్ల జిల్లా, తెలంగాణ రాష్ట్రం. అను కంపెనీ వారు నివాస  
గృహసముదాయనిర్మాణ ప్రాజెక్టు కొరకు పర్యావరణ అనుమతులను ఎన్ఈఐఎంఎ  
తెలంగాణ రాష్ట్రం, పర్యావరణ మరియు అడవుల మంత్రిత్వ శాఖ, భారత ప్రభుత్వము వారి  
ద్వారా జారీచేయబడినదిగా తెలియపరచడమైనది. (ఆర్డర్ నెం. EC22B038TG115289  
తేది: 28.07.2022) ఈ ఆర్డర్ కాపీని పర్యావరణ మంత్రిత్వశాఖ వారి వెబ్సైట్  
www.parivash.nic.in ద్వారాగాని, తెలంగాణ కాలుష్య నివారణ సంస్థ వారి వద్ద నుండి  
గాని పొందవచ్చును.

0లోపు  
వేసుకోవాలి  
నవంబర్ 16(ప్రభస్వూస్)  
మండల పరిషత్  
లో గల భవిత  
నరాలు గల పిల్లల  
కి ఆయాను పూర్తి  
మించేందుకు మహి  
లు కొరుతున్నట్లు  
పేర్కొన్నారు.  
పాఠశాలకు  
రిశుక్రంగా ఉంచడం  
స్థానిక, ఇతరులు  
రు. నెలకు 3250  
20లోపు దరఖాస్తు  
వివరాలకు  
ంచాలన్నారు.

### బాంధనత్రాయ న్యూఢిసెలా ప్రకటన

**ICICI Home Finance** రిజిస్టర్డ్ కార్యాలయం : బసిబసిబి బ్యాంక్ టవర్స్, బాంధ్ర-కుర్గా కాంప్లెక్స్, బాంధ్ర  
కార్పొరేట్ క్వార్టర్స్, బసిబసిబి హైవేపై టవర్, జి.వి.వగర్, ఆంధ్రో కర్నూ రోడ్డు, ఆంధ్రో, తన్వీ ముంబాయి -400059  
(ఆంధ్ర). ముంబాయి-400 051  
కార్యాలయం: 1వ అతస్తు, అపిస్ నెం. 16-11-20/7/ఎ, టివి టవర్ ఎదురుగా మల్కోపేట, హైదరాబాద్-500036  
సంకలనం బసిబసిబి హోం ఫైనాన్స్ కంపెనీ లిమిటెడ్ యొక్క అధికృత అధికారి అయినందున మరియు సెక్యూరిటీ ఇంటర్వెన్షన్  
(ఎన్ఐఐఎంఎంబి) రూల్స్ 2002 యొక్క రూల్ 3లో ఉద్యోగిగానే సెక్షన్ 13(12) క్రింద సంక్రమించిన అధికారాలను ఉపయోగించుకుంటూ  
దిగువ పేర్కొన్న రుణగ్రహీతలకు డిమాండ్ నోటీసులు జారీ చేసినందు వల్లను స్వీకరించిన తేదీ నుండి 60 రోజులలోపు నోటీసులో పేర్కొన్న  
మొత్తాన్ని తిరిగి చెల్లించవలసిందిగా కోరవలసింది.  
విషయం దిగువ పేర్కొన్న కేసులలో సడరు రూల్స్ యొక్క రూల్ 8లో చదవబడే సడరు చట్టం యొక్క సెక్షన్ 13 (4) క్రింద అతడు/ఆమెకు  
సంక్రమించిన అధికారాలను ఉపయోగించుకుంటూ దిగువ పేర్కొన్న అన్ని దిగువ సంకలనం ద్వారా స్వాధీనపర్చుకున్నాడు. ప్రత్యేకించి రుణగ్రహీత  
మరియు యావన్యం ప్రజలకు ఇందుమూలముగా హాస్యించినట్టి విషయంగా అప్లికేట్ ఎటువంటి లావాదేవీలు జమచేయకూడదు. ఒకవేళ అప్లికేట్  
ఎవరిని లావాదేవీలు జమచేసే బసిబసిబి హోం ఫైనాన్స్ కంపెనీ లిమిటెడ్ యొక్క డ్రాఫ్ట్ లోబడి ఉండగలడు.

క్ర. సం.	రుణగ్రహీత / సహ రుణగ్రహీత పేరు / యజమాని పేరు	అప్లి వివరణ / స్వాధీనత తేదీ	డిమాండ్ నోటీసు తేదీ/డిమాండ్ నోటీసులో మొత్తం (రూ)	కాల పేరు
1.	సతీష్ కుమార్ గిడిగ (రుణగ్రహీత), రాజయ్య గిడిగ (సహ-రుణగ్రహీత) NHNDA00000818465	సర్వే నెం.507/ఎ, ఇం.నెం.21-263-5 దగ్గర. సాయికుంట, మంచెర్ల (రుణగ్రహీత), ఆదిలాబాద్ జిల్లా, ఖాక్ 21, ఆదిలాబాద్, ఆదిలాబాద్-504296, సరిహద్దులు: ఉత్తరం: 20 అడుగుల వెడల్పు రోడ్డు, దక్షిణం: సలాం రాజలింగ యొక్క, ఖాక్ పాట్, తూర్పు: ముప్పవల్ శ్రేణికే, పడమర: యెగ్గ సత్యవతి యొక్క, పాట్, స్వాధీనత తేదీ: 14-09-2022	22-12-2021 13,16,047/-	దిల్లీ భీవగర్-0

పైన పేర్కొన్న రుణగ్రహీత(లు) / గ్యారంటీదారు (లు)లకు మొత్తాన్ని తిరిగి చెల్లించుటకు ఇందుమూలముగా 30 రోజుల నోటీసు ఇవ్వడం అవసరమవుతుంది. చెల్లించని యెడల సెక్యూరిటీ ఇంటర్వెన్షన్ (ఎన్ఐఐఐఎంఎంబి) రూల్స్ 2002 యొక్క రూల్స్ 8 మరియు 9 క్రింద నిబంధనల ప్రకారం ఈ నోటీసు ప్రయోగించబడిన తేదీ నుండి 30 రోజులు ముగిసిన తరువాత తనకా ఉందిన అన్నింటిని విక్రయించడం జరుగును. నెం/- అధికృత అధికారి, బసిబసిబి హోం ఫైనాన్స్ కంపెనీ లిమిటెడ్

నవంబర్ 17, 2022



# DECCAN Chronicle

THE LARGEST CIRCULATED ENGLISH DAILY IN SOUTH INDIA  
KARIMNAGAR | SATURDAY | 17 SEPTEMBER 2022



**WORLD | 6**

**Ukraine finds graves, 'torture centres'**



**SPORTS | 8**

**Ronaldo nets 1st Europa League goal**

**TABLO**

**Tennis m as stars r**

chronicle.com, facebook.com/deccannews, twitter.com/deccanchronicle

Vol. 22 No. 11

**100 take part in rallies at Constituency level**  
**ational Integration**

**PM slams Pak**  
**seeks full tran**

R.O.No. : 688-PP/CL-AGENCY/ADVT/1/2022-23 Date: 16-09-2022

## PRESS NOTIFICATION

Environmental Clearance is accorded to M/s. Orient Cement Limited, Sy. No. 84/4, 84/3/2, 84/16, 84/17, 84/44, 84/45, 84/63, 84/64, 84/65/2, 84/12, 57/3, Devapur (V), Kasipet (M) Mancherial (D), Telangana by SEIAA, Telangana State, Ministry of Environment Forests & Climate Change, Government of India for the proposed Staff Quarters construction project vide identification no. EC22B038TG115289 dated 28.07.2022. The copy is available in the office of T.S. Pollution Control Board and MOEF & CC Website www.parivesh.nic.in

By  
Management

**इंडियन बैंक** Indian Bank  
ALLAHABAD

H.No.4-6-111/2, Opp Police Station,  
Peddapalli - 505172  
Phone: 08728-222012,  
Cell: 9490162075  
E-mail: peddapalli@indianbank.co.in

### Possession notice (Rule-8(1))

#### POSSESSION NOTICE (for immovable property)

**Where as**  
The undersigned being the Authorized Officer of the Indian Bank under the Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act 2002 and in exercise of powers conferred under Section 13 (12) read with rule 8 and 9 of the Security Interest (Enforcement) Rules, 2002 issued a demand notice dated 26.05.2022 Calling upon the borrower/guarantor's:-

- 1. Borrower:** Mr. Mohammed Aziz Ur Rahman S/o Mohammed Ahmed Ali, H.No.4-8-76, Janda Chowrastha, Peddapalli Town Peddapalli Dist Telangana-505172
- 2. Co-Borrower:** Mrs. Abeda Anjum W/o Mohammed Aziz Ur Rahman, H.No.4-8-76, Janda Chowrastha, Peddapalli Town, Peddapalli Dist Telangana-505172
- 3. Guarantor :** Mr. Khaleel Irfani Mohiuddin S/o Gulam Mohiuddin, H.No.6-2-161/1/A, Hussaini Pura, Karimnagar Town, Karimnagar Dist Telangana-505001

with our Peddapalli Branch to repay the amount mentioned in the notice being Rupees Eight Lakhs Forty Six Thousand Six Hundred

### DC CORRESPONDENT

KHAMMAM, SEPT. 16

CPI state secretary Kunamneni Sambasiva Rao criticised Governor Tamilisai Soundararajan for naming September 17 as Liberation Day.

He said the Telangana Governor is ignoring her constitutional post and taking up the role of BJP leader. He said that it was not correct to name September 17 as liberation day of Telangana without knowing the history of the state. Sambasiva Rao advised the Governor to read the books of Telangana history written by communist leaders.

### COP ON VIDEO ABUSES YOUTH BY CASTE SLUR

DC CORRESPONDENT  
KHAMMAM, SEPT. 17

A video clipping on social media purporting to show Nelakondapalli sub-inspector Sravanthi Reddy allegedly abusing youth of the Madiga community by their caste

### DC CORRESPONDENT

KHAMMAM, SEPT. 16

A four-year-old girl sustained injuries in her private parts at an anganwadi centre located in Sivayam Street, Madhira on Friday. The girl's mother alleged that the ayah in the anganwadi centre had caused the injury while washing the girl after she relieved herself.

Upon the girl complaining of pain, the mother took her to a local community health centre for treatment where Dr Srinivas found an injury. The mother said, "She said that the ayah rubbed the parts in a rough manner. I demand action against the ayah

### Udayamma."

Child development project officer Sarada said "The doctor told me there was an injury in the girl's private parts and asked us to take her to Khammam district hospital where a gynaecologist can give proper report. However the mother is not showing interest in going to Khammam."

The victim's father, who is unwell, is confined to his house. Integrated Child Protection Services officials and Child Rights Committees in Khammam are trying to bring the girl to Khammam hospital with police protection after convincing her mother

### TS is not new to fighting, says KTR

DC CORRESPONDENT  
KARIMNAGAR, SEPT. 16

The Telangana region is not new to fighting, state minister K.T. Ramarao asserted on Friday. He noted that, in 1948, the people fought against the

Telangana Secretariat after Ambedkar. KTR said that "because of foresight and guidelines of Ambedkar, the dream of separate Telangana state became a reality. "It is our responsibility to protect the state from fresh split in the name